

EGG HARBOR TOWNSHIP STORM WATER MANAGEMENT SYSTEM AS-BUILT SUBMISSION CHECKLIST

1. Submission Requirements

- Two (2) – paper copies must be submitted (24" x 36").
- Two (2) – CD's in .dwg or .dxf format in AutoCAD 2000 or higher must be submitted on CD-ROM. (*Drawings submitted in **READ ONLY** format will not be accepted!*)
- All as-built submissions must be signed and sealed by a licensed professional engineer or professional land surveyor.
- All as-built plans and digital files must be submitted to the Township Engineer and deemed acceptable before acceptance of the subdivision. A cover letter must be provided stating the date of submission and listing all materials included with the contact person(s) responsible for the as-built submissions. (*The Township Engineer reserves the right to field verify the accuracy of any and all storm sewer as-built submissions at the cost to the developer.*)

2. Horizontal / Vertical Datum

- Submitted storm water management as-builts must be based on the State Plane Coordinate System (NAD 1983). A note stating the use of NAD 83 must be included on all submissions.
- Submitted storm water management as-builts must be based on the National Geodetic Vertical Datum (NGVD 1988). A note stating the use of NGVD 88 must be included on all submissions.
- Submitted storm water management as-builts must depict an on-site vertical benchmark and provide information regarding the determination of the benchmark's elevation.

3. Requirements for As-Built Plans

- Submitted storm water management as-builts must include all of the following:
 - Rim & invert elevations
 - Type, length & slopes of all pipelines
 - All other improvements in proximity to the storm water pipe
- All as-builts must provide stationing information along all improved and existing roadways.